



PRICE LIST

FROM 1ST JULY 2018



TUSKER 
INDUSTRIAL SAFETY
STRENGTH THROUGH QUALITY

PPE - Premium and economy leather, proban and aluminised garments for welding, foundries and all applications requiring fire retardancy.

Tusker PPE is made in the UK to the highest quality standards.

Code	Item	Size	Premium	Economy	GEM+	Proban
Jackets						
2B	Single Breasted Jacket	S/M/L	78.55	62.31	223.86	55.22
		XL	82.50	65.54	239.33	61.22
		2XL	107.25	96.53	-	-
PB2B	Proban Backed Jacket	S/M/L	112.25	89.02	-	-
		XL	117.88	93.66	-	-
		2XL	153.25	121.75	-	-
3	Double Breasted Jacket	S/M/L	125.80	91.38	246.15	-
		XL	137.63	97.38	260.75	-
		2XL	196.81	178.92	-	-
6	Bib & Brace	S/M/L	142.64	128.37	-	-
		XL	171.17	141.15	-	-
		2XL	222.53	183.58	-	-
4	Cape & Sleeve (Open Backed)	S/M/L	52.38	38.87	-	-
		XL	56.05	42.05	-	-
		2XL	72.88	-	-	-
	Cape & Sleeve (Fully Backed)	S/M/L	78.58	58.33	-	-
		XL	84.13	63.08	-	-
		2XL	109.33	-	-	-
1	Boiler Suit	One Size	-	-	-	78.86
Trousers						
5	Trousers	S/M/L	119.94	109.62	248.00	53.49
		XL	126.24	118.96	285.28	59.39
		2XL	164.13	-	-	-
7	Cowboy Chaps	One Size	69.55	61.31	-	-
Apron						
8A	Apron Chaps to Knee	One Size	46.82	36.96	78.53	-
8B	Apron Chaps to Ankle	One Size	64.84	52.53	128.30	-
9A	Apron	One Size	23.09	17.41	64.32	32.34
9B	Waist Apron	One Size	30.04	22.18	54.59	29.03
4A	Apron Attachment	One Size	24.52	20.23	-	-
Sleeve						
11A	Sleeve - Cuffed	20" Long	16.83	11.69	61.43	23.58
11B	Sleeve - Strapped & Buckled	17" Long	25.70	22.25	60.70	-
11C	Full Length Cuff/Strap/Buckle	24" Long	34.09	26.13	80.36	-
11D	Full Length Stud/Strap/Buckle	24" Long	34.09	26.13	80.36	-
Hood						
18	Gouging Hood (Premium available in red only)	3"	25.85	20.80	-	13.58
		6"	27.00	23.09	-	17.47
		9"	33.63	30.11	-	22.09
		12"	37.54	33.90	-	27.20
18/1	Gouging Hood Lined (Premium available in red only)	3"	29.60	24.61	-	16.03
		6"	30.81	26.83	-	18.33
		9"	42.79	37.53	-	25.63
		12"	43.64	39.95	-	32.87
14	Shoulder Cape & Hood	One Size	38.85	31.50	-	-
19	Fleximask (Shade 10 Lens, 4 1/4" x 2")	One Size	93.47	89.40	80.57	-

Code	Item	Size	Premium	Economy	GEM+	Proban
Additional						
10A	Spats with Velcro Fixing	8"	18.59	14.60	POA	-
		12"	18.77	15.52	34.21	-
		16"	26.24	20.29	POA	-
10B	Spats with Straps & Buckles	8"	18.59	14.60	POA	-
		12"	18.77	15.52	32.58	-
		16"	26.24	20.29	POA	-
12	Knee Pads	One Size	25.86	19.60	-	-
35	Elbow Pads	One Size	30.87	28.65	-	-
21	Rod Holder	One Size	19.12	15.05	-	-
20	Cravat	One Size	-	-	-	13.66
23	Glove Protectors Heat Reflective Hand Shield	One Size	11.93	8.05	14.79	-
		One Size	27.86	per pair (Premium/GEM)		
Tusker Caps (premium in red only)						
17A	Tusker Cap	7-8	-	-	-	9.29
17B	Tusker Multi	One Size	-	-	-	8.83
30	Tusker Bandana	One Size	-	-	-	9.93
15A	Skull Cap	One Size	11.84	10.48	-	6.14
15B	Skull Cap with Back Flap	One Size	15.26	13.64	-	6.92
15C	Legionnaires Cap	One Size	-	-	-	11.00
16A	Peaked Cap	One Size	14.29	11.92	-	8.39
16B	Peaked Cap with Back Flap	One Size	17.65	15.30	-	11.08
Welders Gown						
WGOWN	Welders Gown	S/M/L	62.16	55.94	-	-
		XL	80.79	72.71	-	-

SIZE GUIDES

Standard Sizes	Chest	Waist
Small	92cm (36")	82cm (32")
Medium	102cm (40")	92cm (36")
Large	112cm (44")	102cm (40")
Extra Large	122cm (48")	112cm (44")
2XL	132cm (52")	122cm (48")
3XL	142cm (56")	132cm (52")

Hat Sizes	Measurements
Small	7", 7 ¹ / ₈ ", 7 ¹ / ₄ "
Medium	7 ³ / ₈ ", 7 ¹ / ₂ "
Large	7 ⁵ / ₈ ", 7 ³ / ₄ "

Welding Curtains and Frames - fully customisable curtain and track options for welding, spray booths, dust, laser, x-ray and more.

Code	Welding Curtains	Custom	1.83x1.22 (6ft x 4ft)	1.83x1.83 (6ft x 6ft)	1.83x2.44 (6ft x 8ft)	50m Roll
LV1	Lowvis Green - Reinforced	21.01/m ²	39.18	58.67	78.14	555.85
SA1	Safearc Amber - Reinforced	21.01/m ²	39.18	58.67	78.14	555.85
SA2	Safearc Bronze - Reinforced	21.01/m ²	39.18	58.67	78.14	555.85
HIV3	HiVis Amber - Standard	21.01/m ²	39.18	58.67	78.14	555.85
TWG1	Weld Green - Standard	21.01/m ²	39.18	58.67	78.14	555.85
NEO250	Neogard - 660gms	54.78/m ²	91.68	147.09	196.08	-
NEO400	Neogard - 850gms	64.97/m ²	111.85	167.74	223.62	-
CAN1	Canvas - 12oz	26.21/m ²	48.71	73.18	97.53	1200.62
EJ1	Jute - Woven Natural Material	13.92/m ²	35.09	45.60	56.73	173.83

Code	Size	Track Systems	Price
ST3	2.44m High	Stanchion Upright Powder Coated, Std Colour - Fixing Plate 150x150mm with 4x 11mm Holes	91.00
TR31	31 x 31 x 12mm	Track Section with Galvanised Finish - cut to length	15.31/m
TRSB	50mm	Single Track Bracket for fixing to uprights	18.27
TRDB	2 x 50mm	Double Track Bracket for fixing to uprights	22.89
TRJB	100mm	Single Track Joining Bracket	30.16
TRCB	50mm	Single Track Bracket for fixing direct to ceiling/wall	18.26
TRCTW	50mm	Twin Track Bracket for fixing direct to ceiling/wall	34.70
TRBEND		300mm Radius Track Bend - 90°	310.49
TRBEND		600mm Radius Track Bend - 90°	380.68
M10STUD		M10 Stud Bar	7.40
RREEL	8 METRE SPAN	Retractable Reel	901.10

Code	Track Accessories	Price
HOOK	Hook for Curtains and Strip	1.47
NTW	Nylon Trolley Wheel with 'S' Hook	19.89

Code	Welding Strip	Size	Per Metre	50m Roll
G200	Green Strip	200x2mm	6.55	288.71
G2MM	Green Strip	300x2mm	9.31	323.40
A2MM	Amber Strip	300x2mm	9.31	323.40
B200	Bronze Strip	200x2mm	6.55	288.71
B2MM	Bronze Strip	300x2mm	9.31	323.40

Code	Non-Welding Strip	Size	Per Metre	50m Roll
CL200	Clear Strip	200x2mm	5.72	177.63
CL200/3	Clear Strip	200x3mm	8.57	266.40
CL200/4	Clear Strip	200x4mm	11.39	465.94
CL2MM	Clear Strip	300x2mm	7.31	266.40
CL3MM	Clear Strip	300x3mm	12.90	399.60
CL2MM2.5	Clear Strip - Forklifts	400x2.5mm	14.28	580.06
CL4MM	Clear Strip - Forklifts	400x4mm	19.03	662.84
CM4MMB	Clear Ribbed Strip - Forklifts	400x4mm	21.17	710.39

Code	Strip Fixing Options	Size	Price
GOS1	Galvanised Steel Overhead Support	1m Length	21.62
GOS3	Galvanised Steel Plate Set	300mm	4.37
GOS4	Galvanised Steel Plate Set	400mm	6.09
HOS1	Heavy Duty Galvanised Steel Overhead Support	1m Length	40.57
HOS3	Heavy Duty Galvanised Steel Plate Set	300mm	6.40
HOS4	Heavy Duty Galvanised Steel Plate Set	400mm	9.19
SOS1	Stainless Steel Overhead Support	1m Length	33.66
SOS3	Stainless Steel Plate Set	300mm	7.21
SOS4	Stainless Steel Plate Set	400mm	9.52

Code	Non-Welding Curtains	Custom	1.83x1.22	1.83x1.83	1.83x2.44	50m Roll
TG1	Transgreen - Reinforced	20.81/m ²	39.05	58.64	78.14	555.85
GCL1	Glass Clear	35.31/m ²	47.23	70.97	94.62	618.50
GCL1R	Glass Clear - Reinforced	23.18/m ²	43.41	63.86	85.14	365.84
Code	Tarpaulin					
PE14	White FR Tarpaulin	8.97/m ²	please call for bespoke sizes			388.08

Code	Acoustic Curtains	2x1	2x2.4
ACSIL	Acoustic Curtain with SIL+ outer	393.06	786.15
ACB250	Acoustic Curtain with BLWB250	321.72	643.41
ACPVC	Acoustic Absorber and Noise Barrier	396.98	991.16

Code	Acoustic Curtains to suit Stand Alone Frames	1.8x1.8
STAC	Acoustic Panel for ST Frames	873.01

Code	Curtain Fixing Options	Size	Price
SR1A	Split Ring	38mm	0.43
SR1B	Split Ring	51mm	0.67
SR1C	Split Ring	76mm	1.92
SR1D	Pear Shaped Split Ring	66mm x 37mm	1.10
PS1	Press Studding	-	3.93/m
VEL1	Velcro Fastening - Flame Retardant	25mm	3.93/m
VEL2	Velcro Fastening - Adhesive	20mm	3.32/m
VEL3	Velcro Fastening - Adhesive	50mm	9.56/m
EYE1	Eyelets (where required on additional edges)	14mm	0.20

Code	Item	Standard Sizes - Metres (can be customised) Roll - Metres					
WBN20	Weldstop Plus 2005gms	1x1 116.36	2x1 218.96	2x2 438.71	3x1 328.48	4x1 438.71	25x1 2190.03
WBN11	Weldstop Plus 1100gms	1x1 73.42	2x1 133.49	2x2 266.65	2.5x2 333.77	3x2 400.52	25x1 1334.69
SIL+	Silplus High Temperature	0.9x2 141.33	1.8x2 282.64	2.7x2 424.00			50x0.9 2122.31
GEM+	Aluminised Glass Backed Fabric	1x1 77.09	2x1 154.15	2x2 308.26	2.5x2 385.47	3x2 461.64	25x1 618.50
NEO400	Neoprene 850gms	1x1 45.55	2x1 91.12	2x2 182.28	2.5x2 227.83	3x2 273.43	50x1 1162.22
NEO250	Neoprene 660gms	1.2x1 35.95	1.2x2 71.67	2.4x2 143.39	3.6x2 215.06		50x1.2 1160.20
LWB250	Lightweight Spark/Glare	1x1 25.77	2x1 51.52	2x2 103.05	2.5x2 128.82	3x2 154.57	50x1 515.42
HRB100	Thermal Insulation Stress Relief	1x1 46.22	2x1 92.38	2x2 184.77	2.5x2 231.01	3x2 277.19	50x1 721.59
HRPW100	Pipe Wrap	300mm x 1m (call for special sizes) 44.74					
WSM 1000	Heat Pad up to 1000°	225mm x 225mm 17.49 net		450mm x 225mm 36.17 net		450mm x 450mm 72.38 net	
WSM 1000F	Heat Pad with Ceramic Filler	225mm x 225mm 23.49 net		450mm x 225mm 47.03 net		450mm x 450mm 94.11 net	
CCP400	Cable Cover with Velcro or press studs			C125mm x 1m 21.40 net		C175mm x 1m 25.36 net	
CCPRT	Heat Resistant Red Leather Cable Cover with velcro or press studs			C125mm x 1m 22.62 net		C175mm x 1m 26.39 net	
WCUSH	Welding Cushion	50cm x 50cm x 8cm 80cm x 50cm x 8cm		69.64 (Bespoke sizes POA) 111.43 (Bespoke sizes POA)			

Code	Heavy Duty Frames (HD)	Frame Only	Frame & PVC	Frame & Strip	Frame & Canvas
HD1320	Heavy Duty 1.3m wide x 2m drop	315.30	368.71	421.61	381.78
HD1920	Heavy Duty 1.9m wide x 2m drop	332.70	400.28	484.36	424.71
HD2520	Heavy Duty 2.5m wide x 2m drop	351.10	433.56	571.56	455.51
Code	Additional Components	1.3m Wide	1.9m Wide	2.5m Wide	
HDTS	Top Horizontal Support	76.81	86.65	92.38	
HDLS	Lower Horizontal Support	79.79	88.67	104.70	
Code	1m Wide				
HDHA	Hinged Extension Arm	59.10			
		1.5m Wide	1.9m Wide	2.5m Wide	3m Wide
HDHE	Hinged Extension Arm with Vertical Support - 2m High	194.91	199.09	208.34	209.01
					214.08
Code	Stand Alone Frames (ST)	Frame Only	Frame & PVC	Frame & Strip	Frame & Canvas
ST46	1.83m x 1.22m	216.92	254.14	298.02	255.97
ST66	1.83m x 1.83m	232.75	291.70	370.67	301.73
ST86	1.83m x 2.44m	250.00	326.93	421.52	339.18
STBAYFT	Special Foot Assembly	66.23			
Code	Portable Frames	Frame Only	Frame & PVC	Frame & Canvas	Frame & Jute
RF164	1.83m x 1.22m	63.47	100.67	103.83	89.04
RF165	1.83m x 1.50m	67.59	109.36	121.72	100.75
RF166	1.83m x 1.83m	71.34	124.11	138.05	106.23
RF122	2m x 2m	77.82	141.71	158.19	121.34
RF168	1.83m x 2.44m	79.30	152.72	171.93	129.64
RF123	2m x 3m	111.25	205.14	229.39	171.76
RFPOR	1.83m x 1.83m	-	122.25(comes with carry bag)		
RFFOLD	1.83m x 1.83m	-	151.94	-	-
RFFOLD	2.44m x 1.83m	-	202.56	-	-
Code	Elephant Frames (EL)	Frame Only	PVC Cover Only	HD Canvas Cover Only	
EL222	2m x 2m x 2m	350.88	394.74	619.59	
EL332	3m x 3m x 2m	540.37	622.42	1057.98	
EL333	3m x 3m x 3m	667.88	731.77	1369.37	
MHTENT	1m x 1m x 2m	259.68	168.92	289.56	
Code	Welding Umbrella				Price
UM125C	2.5m diameter complete with Heavy Duty Canvas Cover (blue or green)				384.58
Code	Frame Accessories				Price
RW75B	Braked Rubber Castors for HD & ST Frames, 75mm Diameter				13.34
CAS1	Nylon Castors for RF Frames, 50mm Diameter				8.07
CAS2	Nylon Castors for RG Frames, 50mm Diameter, braked				11.05
HOOK	Tusker Hook for HD Frames				1.45
LF1	Link for RF Frames				9.88
CATHIN	Hinge for Caterpillar Frame to fit ST Frames				136.09

Fire Barriers

Code	Item	Size (Metres)			
		1 x 50	1.3 x 50	1.5 x 50	3 x 50
PU28	Fire Barrier	248.94	323.15	373.88	1394.92
		Net	Net	Net	Net
5000TRL	Atex Membrane	Price on request			

Acoustic Barriers

Code	Item	Size
	Fire Stop Acoustic Black Polyurethane Foam	25mm x 2m x 1.2m 104.48 (min order of 10)
	Fire Stop Acoustic Grey Melamine Resin Foam	25mm x 2.5m x 1.25m 110.18 (min order of 10)

Smoke Barriers

Code	Item	Size (Metres)		
		1.83x1.22	1.83x1.83	1.83x2.44
NEOGARD250	Neogard 250 Curtain	80.96	147.09	196.08
NEOGARD400	Neogard 400 Curtain	99.56	167.74	239.27
Accessories				
	50mm Glass Tape	98.60 (min order of 10)		

Weld Matting

Code	Item	Size (Millimetres)	
TWMAT	Weld Matting	914 x 609 x 14	103.81

Miscellaneous

Anti-fatigue matting	POA
Bubble Polythene	POA
Debris Netting	POA
Latex Sheeting	POA
Anti-insect Strip	POA

Tusker Industrial Safety design, manufacture and supply an extensive range of mobile frames and flame retardant curtain materials suitable for use in all welding and fabrication processes.

Tusker frames offer a wide choice of mobile screens which when combined with Tusker curtains, offer excellent protection against harmful levels of UV light as well as sparks.

All frames are available in a number of standard sizes and can be manufactured to customer requirements. Your company branding can be added to curtains and frames can be coloured to match corporate requirements.

Heavy Duty Frames: HD Series

Constructed from 35mm box section steel for strength and powder coated for a robust finish. Features a top track section specially formed to suit Tusker hooks that are strong enough for all welding curtains and strips.



Hinged extension arms, uprights, horizontal supports and castors are available to allow users to extend frame construction. All connection points are flow drilled and threaded for fast, solid assembly. Supplied in orange as standard.

HD Series - bolt together construction for extra stability.

Heavy-duty frames: ST Series

Our ST Series frames are a heavy duty option with a slot together, 35mm box section construction and powder coated for a robust finish. Suitable for use with the Tusker curtain and strip range, with the curtain fitted over the uprights. Castors are available for extra mobility.



ST Series - easy slot together construction



Tusker heavy duty frames can be fitted with castors for added mobility.



Available in a range of off-the-shelf or bespoke sizes and fitted with Tusker curtain or strip.

Portable economy frames: RF Series

A practical, lightweight and easy to assemble portable frame system. Manufactured from galvanised steel with a specially formed 19mm box section to give extra strength. Suitable for use with Tusker curtains which fit over the uprights. All frames can be extended by links, and castors are available for extra mobility.



Work Shelters (Elephant frames): EL Series

Tusker elephant frames are ready assembled fold-away mobile shelters. Manufactured from galvanised steel and available with our range of flame retardant covers for both welding and non-welding applications.



Standard sizes available:
2x2x2m
3x3x2m
3x3x3m

Also available are manhole tents
1x1x2m



Hinged Arm Framesets

Tusker hinged framesets offer adaptable welding protection. Pivoting arms mean that the system can create a mini welding bay. Construction with 35mm box section steel and powder coated and fitted with a range of our PVC or canvas curtain. Features a top track section specially formed for Tusker hooks which are strong enough for all welding curtains.



Hivis Amber HIV1

A translucent PVC welding curtain recommended for all welding applications where a good degree of visibility is required.



Safearc Amber SA1

Reinforced for extra strength and tear resistance. Recommended for applications where a degree of visibility is required.



Lowvis Green LV1

Reinforced for extra strength and tear resistance. Recommended for applications where no visibility is required.

Safearc Bronze SA2

Reinforced for extra strength and tear resistance. Recommended for applications where a degree of visibility is required.



Weld-Green TWG1

A dark green PVC welding curtain recommended for all applications where a low degree of visibility is desired.



Heavy Duty Canvas CAN1

Waterproof and rot-proof. Suitable for both indoor and outdoor applications.



Neogard 250 NEO250

660gms. Neoprene coated fibreglass material for use as a heavy duty welding/grinding screen or smoke barrier. No visibility.


Neogard 400 NEO400

850gms. Neoprene coated fibreglass material for use as a heavy duty welding/grinding screen or smoke barrier. No visibility.



Jute EJ1

Closely woven natural material. A cost-effective alternative to traditional canvas. Suitable as a light duty welding screen cover. Indoor use only.



Glass Clear Reinforced GCL1R

Reinforced for extra strength and tear resistance. Typical applications include paint spray booths and dust protection.



Glass Clear GCL1

Suitable for where total visibility is required. Typical applications include paint spray booths and dust protection.



Non-welding strip curtaining CL2MM

Suitable for where total visibility is required. Typical applications include paint spray booths and dust protection.

Welding strip curtaining



Green strip curtaining G2MM



Amber strip curtaining A2MM



Bronze strip curtaining B2MM

Our strip curtain materials are available in a range of widths and thicknesses. 300mm x 2mm is standard.

Our strip curtaining can be supplied either eyeletted, or with our plate sets and overhead supports.





Code Black is the new ultimate range of welding PPE from Tusker Industrial Safety.

We've combined the unmatched quality of Tusker PPE with a range that fuses quality, performance, durability and good looks in one. Made from the best quality split-leather hides which are treated with specialist oils for durability, the Code Black range of apparel is heat resistant to 250°C and ideal for use in all welding and foundry applications.

- Jackets**
- Aprons**
- Spats**
- Sleeves**
- Hoods**



Code	Item	Size	
CB2B	Single Breasted Jacket	S/M/L	94.26
CB9A	Apron	One size	27.71
CB11D	Full length sleeve stud/strap/buckle	One size	40.91
CB10A	Spats with velcro fixing	One size	22.53
CB19	Fleximask	One size	112.17



2 Lister Close
Newnham Industrial Estate
Plymouth
PL7 4BA

t: 01752 201000

f: 01752 201005

e: sales@tuskerindustrial.com

www.tuskerindustrial.com

ASK US ABOUT OUR NEW CODE BLACK RANGE -
THE ULTIMATE IN WELDING APPAREL

CODEBLACK
BY TUSKER INDUSTRIAL SAFETY



www.twitter.com/Tusker_UK

Tusker is a division of Safety First Manufacturing Co Ltd