

TUSKER

INDUSTRIAL SAFETY



STRENGTH THROUGH QUALITY



HEAT RESISTANT

www.tuskerindustrial.com

PRICE LIST

FROM 1ST JULY 2016



Our range of PPE includes Premium and Economy Tusker Leather options which are well suited to the welding and allied trades. For increased protection, our Proban range is heat resistant. Our Heat Reflective range (GEM+ Aluminised) is ideal for foundry use.



**PPE - Premium and Economy Leather, Fire Retardant, Heat Reflective
CAN BE FULLY CUSTOMISED TO YOUR REQUIREMENTS**

Code	Item	Size	Premium	Economy	GEM+	Proban
Jackets						
2B	Single Breasted Jacket	S/M/L	71.25	56.51	203.05	50.09
		XL	74.83	59.45	217.08	55.52
		2XL	97.28	87.55	-	-
PB2B	Proban Backed Jacket	S/M/L	101.82	80.74	-	-
		XL	106.92	84.95	-	-
		2XL	139.00	110.43	-	-
3	Double Breasted Jacket	S/M/L	114.10	82.89	223.27	-
		XL	124.84	88.32	236.50	-
		2XL	178.51	162.29	-	-
6	Bib & Brace	S/M/L	129.38	116.44	-	-
		XL	155.26	128.03	-	-
		2XL	201.84	166.51	-	-
4	Cape & Sleeve (Open Backed)	S/M/L	47.51	35.26	-	-
		XL	50.84	38.14	-	-
	Cape & Sleeve (Fully Backed)	S/M/L	71.28	52.90	-	-
		XL	76.30	57.22	-	-
1	Boiler Suit	One Size	-	-	-	71.53
		2XL	99.16	-	-	-
Trousers						
5	Trousers	S/M/L	108.79	99.43	224.94	48.51
		XL	114.50	107.90	258.76	53.87
		2XL	148.87	-	-	-
7	Cowboy Chaps	One Size	63.09	55.61	-	-
Apron						
8A	Apron Chaps to Knee	One Size	42.47	33.52	71.23	-
8B	Apron Chaps to Ankle	One Size	58.81	47.65	116.37	-
9A	Apron	One Size	20.94	15.79	58.34	29.33
9B	Waist Apron	One Size	27.25	20.11	49.51	26.33
4A	Apron Attachment	One Size	22.24	18.35	-	-
Sleeve						
11A	Sleeve - Cuffed	20" Long	15.27	10.60	55.72	21.39
11B	Sleeve - Strapped & Buckled	17" Long	23.31	20.18	55.06	-
11C	Full Length Cuff/Strap/Buckle	24" Long	30.92	23.70	72.89	-
11D	Full Length Stud/Strap/Buckle	24" Long	30.92	23.70	72.89	-
Hood						
18	Gouging Hood (Premium available in red only)	3"	23.45	18.87	-	12.31
		6"	24.49	20.94	-	15.85
		9"	30.50	27.31	-	20.04
		12"	34.05	30.75	-	24.68
18/1	Gouging Hood Lined (Premium available in red only)	3"	26.85	22.32	-	14.54
		6"	27.94	24.33	-	16.63
		9"	39.58	34.04	-	23.25
		12"	38.81	36.24	-	29.81
14	Shoulder Cape & Hood	One Size	35.24	28.57	-	-
19	Fleximask (Shade 10 Lens, 4 1/4" x 2")	One Size	84.78	81.09	73.08	-

Code	Item	Size	Premium	Economy	GEM+	Proban
Additional						
10A	Spats with Velcro Fixing	8"	16.86	13.24	POA	-
		12"	17.03	14.08	31.03	-
		16"	23.80	18.40	POA	-
10B	Spats with Straps & Buckles	8"	16.86	13.24	POA	-
		12"	17.03	14.08	31.03	-
		16"	23.80	18.40	POA	-
12	Knee Pads	One Size	23.46	17.78	-	-
35	Elbow Pads	One Size	28.00	25.99	-	-
21	Rod Holder	One Size	17.34	13.65	-	-
20	Cravat	One Size	-	-	-	12.39
23	Glove Protectors	One Size	10.82	7.30	13.42	-
	Heat Reflective Hand Shield	One Size	25.27 per pair (Premium/GEM)			
Tusker Caps (premium in red only)						
17A	Tusker Cap	7-8	-	-	-	8.43
17B	Tusker Multi	One Size	-	-	-	8.01
30	Tusker Bandana	One Size	-	-	-	9.01
15A	Skull Cap	One Size	10.74	9.50	-	5.57
15B	Skull Cap with Back Flap	One Size	13.84	12.37	-	6.28
15C	Legionnaires Cap	One Size	-	-	-	9.98
16A	Peaked Cap	One Size	12.96	10.81	-	7.61
16B	Peaked Cap with Back Flap	One Size	16.01	13.88	-	10.05
Welders Gown						
WGOWN	Welders Gown	S/M/L	56.38	50.74	-	-
		XL	73.28	65.95	-	-

SIZE GUIDES

Standard Sizes	Chest	Waist
Small	92cm (36")	82cm (32")
Medium	102cm (40")	92cm (36")
Large	112cm (44")	102cm (40")
Extra Large	122cm (48")	112cm (44")
2XL	132cm (52")	122cm (48")
3XL	142cm (56")	132cm (52")

Hat Sizes	Measurements
Small	7", 7 ¹ / ₈ ", 7 ¹ / ₄ "
Medium	7 ³ / ₈ ", 7 ¹ / ₂ "
Large	7 ⁵ / ₈ ", 7 ³ / ₄ "
Extra Large	8"




buy online or download datasheets at
www.sfm-tusker.com

**PPE - Premium and Economy Leather, Fire Retardant, Heat Reflective
CAN BE FULLY CUSTOMISED TO YOUR REQUIREMENTS**



Our track curtain systems are ideal for various environments including welding, spray booths, factories and more.

Our Industrial Safety range includes strip curtains for welding and non-welding use, tarpaulins, acoustic curtains and all the accessories and fixings required.



Welding Curtains and Frames - Curtain and Track
CAN BE FULLY CUSTOMISED TO YOUR REQUIREMENTS

Code	Welding Curtains	Custom	1.83x1.22 (6ft x 4ft)	1.83x1.83 (6ft x 6ft)	1.83x2.44 (6ft x 8ft)	50m Roll
LV1	Lowvis Green - Reinforced	19.06/m ²	35.53	53.22	70.88	504.17
SA1	Safearc Amber - Reinforced	19.06/m ²	35.53	53.22	70.88	504.17
SA2	Safearc Bronze - Reinforced	19.06/m ²	35.53	53.22	70.88	504.17
HIV3	HiVis Amber - Standard	19.06/m ²	35.53	53.22	70.88	504.17
TWG1	Weld Green - Standard	19.06/m ²	35.53	53.22	70.88	504.17
NEO250	Neogard - 660gms	49.69/m ²	83.15	133.42	177.85	-
NEO400	Neogard - 850gms	58.93/m ²	101.45	152.14	202.83	-
CAN1	Canvas - 12oz	23.77/m ²	44.18	66.38	88.47	1089.00
EJ1	Jute - Woven Natural Material	12.63/m ²	31.83	41.36	51.46	157.67

Code	Size	Track Systems	Price
ST3	2.44m High	Stanchion Upright Powder Coated, Std Colour - Fixing Plate 150x150mm with 4x 11mm Holes	82.54
TR31	31 x 31 x 12mm	Track Section with Galvanised Finish - cut to length	13.89/m
TRSB	50mm	Single Track Bracket for fixing to uprights	16.57
TRDB	2 x 50mm	Double Track Bracket for fixing to uprights	20.76
TRJB	100mm	Single Track Joining Bracket	27.35
TRCB	50mm	Single Track Bracket for fixing direct to ceiling/wall	16.56
TRCTW	50mm	Twin Track Bracket for fixing direct to ceiling/wall	31.48
TRBEND		300mm Radius Track Bend - 90°	281.62
TRBEND		600mm Radius Track Bend - 90°	345.29
M10STUD		M10 Stud Bar	6.71
RREEL	8 METRE SPAN	Retractable Reel	817.32
Code		Track Accessories	Price
HOOK		Hook for Curtains and Strip	1.33
NTW		Nylon Trolley Wheel with 'S' Hook	18.04

Code	Welding Strip	Size	Per Metre	50m Roll
G200	Green Strip	200x2mm	5.94	261.87
G2MM	Green Strip	300x2mm	8.45	293.33
A2MM	Amber Strip	300x2mm	8.45	293.33
B200	Bronze Strip	200x2mm	5.94	261.87
B2MM	Bronze Strip	300x2mm	8.45	293.33

Code	Non-Welding Strip	Size	Per Metre	50m Roll
CL200	Clear Strip	200x2mm	5.19	161.11
CL200/3	Clear Strip	200x3mm	7.77	241.63
CL200/4	Clear Strip	200x4mm	10.33	422.62
CL2MM	Clear Strip	300x2mm	6.63	241.63
CL3MM	Clear Strip	300x3mm	11.70	362.45
CL2MM2.5	Clear Strip - Forklifts	400x2.5mm	12.95	526.13
CL4MM	Clear Strip - Forklifts	400x4mm	17.26	601.22
CM4MMB	Clear Ribbed Strip - Forklifts	400x4mm	19.20	644.34

Code	Strip Fixing Options	Size	Price
GOS1	Galvanised Steel Overhead Support	1m Length	19.61
GOS3	Galvanised Steel Plate Set	300mm	3.96
GOS4	Galvanised Steel Plate Set	400mm	5.52
HOS1	Heavy Duty Galvanised Steel Overhead Support	1m Length	36.80
HOS3	Heavy Duty Galvanised Steel Plate Set	300mm	5.81
HOS4	Heavy Duty Galvanised Steel Plate Set	400mm	8.33
SOS1	Stainless Steel Overhead Support	1m Length	30.53
SOS3	Stainless Steel Plate Set	300mm	6.54
SOS4	Stainless Steel Plate Set	400mm	8.64


Code	Non-Welding Curtains	Custom	1.83x1.22	1.83x1.83	1.83x2.44	50m Roll
TG1	Transgreen - Reinforced	18.88/m ²	35.42	53.19	70.88	504.17
GCL1	Glass Clear	32.03/m ²	42.84	64.37	85.82	561.00
GCL1R	Glass Clear - Reinforced	21.03/m ²	39.37	57.92	77.23	331.83

Code	Tarpaulin	Size	Price
PE14	White FR Tarpaulin	8.54/m ²	please call for bespoke sizes

Code	Acoustic Curtains	Size	Price
ACSIL	Acoustic Curtain with SIL+ outer	2x1	356.51
ACB250	Acoustic Curtain with BLWB250		291.81
ACPVC	Acoustic Absorber and Noise Barrier		360.08

Code	Acoustic Curtains to suit Stand Alone Frames	Size	Price
STAC	Acoustic Panel for ST Frames	1.8x1.8	791.85
Code	Curtain Fixing Options	Size	Price
SR1A	Split Ring	38mm	0.39
SR1B	Split Ring	51mm	0.61
SR1C	Split Ring	76mm	1.74
SR1D	Pear Shaped Split Ring	66mm x 37mm	1.00
PS1	Press Studding	-	3.56/m
VEL1	Velcro Fastening - Flame Retardant	25mm	3.56/m
VEL2	Velcro Fastening - Adhesive	20mm	3.01/m
VEL3	Velcro Fastening - Adhesive	50mm	8.67/m
EYE1	Eyelets (where required on additional edges)	11mm	0.18

Industrial Safety - Strip Curtains, Tarpaulins & Accessories
CAN BE FULLY CUSTOMISED TO YOUR REQUIREMENTS



We have a large range of welding blankets suitable for all uses and with varying degrees of protection including our famous Weldstop blankets.



buy online or download datasheets at
www.sfm-tusker.com



Our frames are suitable for many uses including welding, spray booths, construction and more. Many of our frames are portable and all are easily relocatable. We offer a wide range of curtains and covers for all uses.

Welding Blankets and Safety Products
CAN BE FULLY CUSTOMISED TO YOUR REQUIREMENTS

Welding Curtains and Frames - Frames and Accessories
CAN BE FULLY CUSTOMISED TO YOUR REQUIREMENTS

Code	Item	Standard Sizes - Metres (can be customised) Roll - Metres					
WBN20	Weldstop Plus 2005gms	1x1 105.54	2x1 198.60	2x2 397.92	3x1 297.94	4x1 397.92	25x1 1986.42
WBN11	Weldstop Plus 1100gms	1x1 66.59	2x1 121.08	2x2 241.86	2.5x2 302.74	3x2 363.29	25x1 1210.60
SIL+	Silplus High Temperature	0.9x2 128.19	1.8x2 256.36	2.7x2 384.58			50x0.9 1925.00
GEM+	Aluminised Glass Backed Fabric	1x1 69.92	2x1 139.82	2x2 279.60	2.5x2 349.63	3x2 418.72	25x1 561.00
NEO400	Neoprene 850gms	1x1 41.31	2x1 82.65	2x2 165.34	2.5x2 206.65	3x2 248.01	50x1 1054.17
NEO250	Neoprene 660gms	1.2x1 32.61	1.2x2 65.01	2.4x2 130.06	3.6x2 195.07		50x1.2 1052.33
LWB250	Lightweight Spark/Glare	1x1 23.37	2x1 46.73	2x2 93.47	2.5x2 116.85	3x2 140.20	50x1 467.50
HRB100	Thermal Insulation Stress Relief	1x1 41.92	2x1 83.79	2x2 167.59	2.5x2 209.53	3x2 251.42	50x1 654.50
HRPW100	Pipe Wrap	300mm x 1m (call for special sizes) 40.58					
WSM 1000	Heat Pad up to 1000°	225mm x 225mm 15.86 net	450mm x 225mm 32.81 net	450mm x 450mm 65.65 net			
WSM 1000F	Heat Pad with Ceramic Filler	225mm x 225mm 21.30 net	450mm x 225mm 42.66 net	450mm x 450mm 85.36 net			
CCP400	Cable Cover with Velcro or press studs		C125mm x 1m 19.41	C175mm x 1m 23.00			
CCPRT	Heat Resistant Red Leather Cable Cover with velcro or press studs		C125mm x 1m 20.51	C175mm x 1m 23.93			
WCUSH	Welding Cushion	50cm x 50cm x 8cm 80cm x 50cm x 8cm	63.16 (Bespoke sizes POA) 101.07(Bespoke sizes POA)				

Code	Heavy Duty Frames (HD)	Frame Only	Frame & PVC	Frame & Strip	Frame & Canvas
HD1320	Heavy Duty 1.3m wide x 2m drop	285.99	334.43	382.41	346.29
HD1920	Heavy Duty 1.9m wide x 2m drop	301.77	363.07	439.33	385.23
HD2520	Heavy Duty 2.5m wide x 2m drop	318.46	393.25	518.42	413.16
Code	Additional Components	1.3m Wide	1.9m Wide	2.5m Wide	
HDS	Top Horizontal Support	69.67	78.59	83.79	
HDLS	Lower Horizontal Support	72.37	80.43	94.96	
Code	1m Wide				
HDHA	Hinged Extension Arm	53.61			
		1.5m Wide	1.9m Wide	2.5m Wide	3m Wide
HDHE	Hinged Extension Arm with Vertical Support - 2m High	176.79	180.58	188.97	189.58
		3.5m Wide			
Code	Stand Alone Frames (ST)	Frame Only	Frame & PVC	Frame & Strip	Frame & Canvas
ST46	1.83m x 1.22m	196.75	230.51	270.31	232.17
ST66	1.83m x 1.83m	211.11	264.58	336.21	273.68
ST86	1.83m x 2.44m	226.76	296.53	382.33	307.65
STBAYFT	Special Foot Assembly	60.08			
Code	Portable Frames	Frame Only	Frame & PVC	Frame & Canvas	Frame & Jute
RF164	1.83m x 1.22m	57.57	91.31	94.18	80.76
RF165	1.83m x 1.50m	61.30	99.19	110.40	91.38
RF166	1.83m x 1.83m	64.70	112.57	125.22	96.35
RF122	2m x 2m	70.58	128.53	143.49	110.06
RF168	1.83m x 2.44m	71.92	138.52	155.94	117.59
RF123	2m x 3m	100.90	186.07	208.07	155.79
RFPORT	1.83m x 1.83m	-	110.89	(comes with carry bag)	
RFFOLD	1.83m x 1.83m	-	137.81	-	-
RFFOLD	2.44m x 1.83m	-	183.72	-	-
Code	Elephant Frames (EL)	Frame Only	PVC Cover Only	HD Canvas Cover Only	
EL222	2m x 2m x 2m	318.26	358.04	561.99	
EL332	3m x 3m x 2m	490.13	564.55	959.62	
EL333	3m x 3m x 3m	605.79	663.73	1242.06	
MHTENT	1m x 1m x 2m	235.53	153.22	262.64	
Code	Welding Umbrella				Price
UM125C	2.5m diameter complete with Heavy Duty Canvas Cover (blue or green)				348.83
Code	Frame Accessories				Price
RW75B	Braked Rubber Castors for HD & ST Frames, 75mm Diameter				12.10
CAS1	Nylon Castors for RF Frames, 50mm Diameter				7.32
CAS2	Nylon Castors for RG Frames, 50mm Diameter, braked				10.02
HOOK	Tusker Hook for HD Frames				1.31
LF1	Link for RF Frames				8.96
CATHIN	Hinge for Caterpillar Frame to fit ST Frames				123.44



Our fire barrier range includes the revolutionary PU28 fire barrier which has a fire rating of 75 minutes. With the added benefit of being British-made, Tusker Industrial Safety is the perfect choice for fire barriers, acoustic barriers and smoke barriers.



Fire Barriers

Code	Item	Size (Metres)			
PU28	Fire Barrier	1 x 50	1.3 x 50	1.5 x 50	3 x 50
		290.77	384.71	436.15	925.98
5000TRL	Atex Membrane	Net	Net	Net	Net
		Price on request			

Acoustic Barriers

Code	Item	Size		
	Fire Stop Acoustic Black Polyurethane Foam	25mm x 2m x 1.2m	94.76 (min order of 10)	
	Fire Stop Acoustic Grey Melamine Resin Foam	25mm x 2.5m x 1.25m	99.93 (min order of 10)	

Smoke Barriers

Code	Item	Size (Metres)		
		1.83x1.22	1.83x1.83	1.83x2.44
NEOGARD250	Neogard 250 Curtain	77.10	133.41	177.85
NEOGARD400	Neogard 400 Curtain	94.82	152.14	217.03

Accessories

50mm Glass Tape	89.44 (min order of 10)
-----------------	-------------------------

Weld Matting

Code	Item	Size (Millimetres)	
TWMAT	Weld Matting	914 x 609 x 14	94.16

Miscellaneous

Anti-fatigue matting	POA
Bubble Polythene	POA
Debris Netting	POA
Latex Sheeting	POA
Anti-insect Strip	POA

Tusker Industrial Safety design, manufacture and supply an extensive range of mobile frames and flame retardant curtain materials suitable for use in all welding and fabrication processes.

Tusker frames offer a wide choice of mobile screens which when combined with Tusker curtains, offer excellent protection against harmful levels of UV light as well as sparks.

All frames are available in a number of standard sizes and can be manufactured to customer requirements. Your company branding can be added to curtains and frames can be coloured to match corporate requirements.

Heavy Duty Frames: HD Series

Constructed from 35mm box section steel for strength and powder coated for a robust finish.

Features a top track section specially formed to suit Tusker

hooks that are strong enough for all welding curtains and strips.



Hinged extension arms, uprights, horizontal supports and castors are available to allow users to extend frame contraction. All connection points are flow drilled and threaded for fast, solid assembly. Supplied in Orange.





Stand-alone Frames: ST Series

A heavy duty frame which quickly slots together. Constructed from 35mm box section and powder coated for a robust finish. Suitable for use with Tusker curtains and strip range, with the curtain fitted over the uprights. Castors are available for extra mobility. Supplied in Orange.



Economy Frames: RF Series

A practical, lightweight and easy to assemble portable frame system. Manufactured from galvanised steel with a specially formed 19mm box section to give extra strength.

Suitable for use with Tusker curtains which fit over the uprights. All frames can be extended by links, and castors are available for extra mobility.



Elephant Frames: EL Series

Tusker elephant frames are ready assembled foldaway mobile shelters. Manufactured from galvanised steel and available with our range of flame retardant covers for both welding and non-welding applications.

Welding Curtains



Lowvis Green LV1
Reinforced for extra strength and tear resistance. Recommended for applications where no visibility is required.




Safearc Amber SA1
Safearc Bronze SA2
Reinforced for extra strength and tear resistance. Recommended for applications where a degree of visibility is required.



Hivis Amber
A translucent PVC welding curtain recommended for all welding applications where a good degree of visibility is required.



Weld-Green TWG1
A dark green PVC welding curtain recommended for all applications where a low degree of visibility is desired.



Canvas CAN1
Traditional, flame retardant material for use as welding screens and covers. For indoor use only.



Heavy Duty Canvas HDCAN
As CAN1, but waterproof and rot-proof. Suitable for both indoor and outdoor applications.



Jute EJ1
Closely woven natural material. A cost-effective alternative to traditional canvas. Suitable as a light duty welding screen cover. Indoor use only.



Neogard 250
660gms. Neoprene coated fibreglass material for use as a heavy duty welding/grinding screen or smoke barrier. No visibility.



Neogard 400
850gms. Neoprene coated fibreglass material for use as a heavy duty welding/grinding screen or smoke barrier. No visibility.

Non-Welding Curtains



Transgreen TG1
A reinforced, translucent PVC suitable for applications where a degree of visibility is required. Not suitable for arc welding.



Glass Clear GCL1
Suitable where total visibility is required. Typical applications include paint spray booths and dust protection.



Opaque OPFR
Reinforced for extra strength and tear resistance. Typical applications include paint spray booths and dust protection.

t: 01752 201000

f: 01752 201005

e: sales@tuskerindustrial.com

www.tuskerindustrial.com

www.twitter.com/Tusker_UK

**2 Lister Close
Newnham Industrial Estate
Plymouth
PL7 4BA**